

ADDENDUM #3
HIGHWAY 79 CORRIDOR AUTHORITY
ITB 20-1

HIGHWAY 79 CORRIDOR WATER AND WASTEWATER
CONSTRUCTION PROJECT

DATE: August 5, 2020

Please Note the Following Changes to ITB 20-1 - Water and Wastewater Construction Project. *You are responsible for ensuring that your Bid reflects the changes to the ITB referenced herein and that you obtain the updated versions of the bid documents and forms referenced herein. Failure to update your Bid accordingly could result in the rejection of your Bid.

1. Extension of Due Date for Bids.

The date and time at which Bids shall be due is hereby revised to **August 14, 2020 @ 3:00 P.M. Central Standard Time (CST)**. The location at which Bids will be received shall remain the same. All references within the ITB to the due date/time for Bids are hereby revised to **August 14, 2020 @ 3:00 P.M. Central Standard Time (CST)**.

2. Section 00300 - Bid Form

A revised Section 00300, Bid Form, is being issued with this Addendum No. 3 (see Attachment "A"), in order to address changes to the plans and additional clarifications, corrections or supplemental information regarding the project further described in Addendum No. 4.

*All Bidders shall ensure that their Bids include the revised Section 00300, Bid Form, attached to this Addendum No. 4.

Attachment A

SECTION 00300

BID FORM

Revised August 5, 2020

SECTION 00300
BID FORM

Highway 79 Corridor Authority

Highway 79 Corridor Water and Wastewater Construction Project

Project No. ITB 20-1

TABLE OF ARTICLES

1.	Bid Recipient	00300-1
2.	Bidder's Acknowledgements	00300-1
3.	Bidder's Representations	00300-2
4.	Bidder's Certifications	00300-3
5.	Basis Of Bid	00300-4
6.	Time Of Completion	00300-7
7.	Attachments To This Bid	00300-8
8.	Defined Terms	00300-8
9.	Bid Submittal	00300-8

ARTICLE 1 – BID RECIPIENT

1.01 This Bid is submitted to:

Highway 79 Corridor Authority
Attn: Karen Shaw
1331 South Blvd
Chipley, FL 32428

1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the price(s) and within the times indicated in this Bid and in accordance with the Bidding Documents.

ARTICLE 2 – BIDDER'S ACKNOWLEDGEMENTS

2.01 Bidder accepts all of the terms and conditions of the ITB, including without limitation those dealing with the disposition of Bid Security. This Bid will remain subject to acceptance for 90 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner. Bidder will sign the Agreement and will furnish the required contract security, and other required documents within the time periods set forth in the Bidding Documents.

2.02 Bidder accepts and acknowledges that Owner reserves the right to accept or reject any and/or all proposals in the best interest of Owner.

ARTICLE 3 – BIDDER’S REPRESENTATIONS

3.01 In submitting this Bid, Bidder represents that:

- A. Bidder has examined and carefully studied the Bidding Documents, other related data identified in the Bidding Documents, if any, and the following Addenda, receipt of all of which is hereby acknowledged.

<u>Addendum No.</u>	<u>Date Received</u>	<u>Addendum No.</u>	<u>Date Received</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

- B. Bidder has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.
- C. Bidder is familiar with and is satisfied as to all Laws and Regulations that may affect cost, progress, and performance of the Work.
- D. Bidder has carefully studied all reports of explorations and tests of subsurface conditions at or contiguous to the Site and all drawings of physical conditions relating to existing surface or subsurface structures at or contiguous to the Site (except Underground Facilities), if any, that have been identified in the Supplementary Conditions in SC-4.02 as containing reliable “technical data”.
- E. Bidder has considered the information known to Bidder, information commonly known to contractors doing business in the locality of the Site, information and observations obtained from visits to the Site, the Bidding Documents, and the Site-related reports and drawings identified in the Bidding Documents with respect to the effect of such information, observations, and documents on
 - 1. the cost, progress and performance of the Work
 - 2. the means, methods, techniques, sequences and procedures of construction to be employed by Bidder, including applying any specific means, methods, techniques, sequences, and procedures of construction expressly required by the Bidding Documents to be employed by Bidder; and
 - 3. Bidder’s safety precautions and programs.
- F. Based on the information and observations referred to in Paragraph 3.01.E,

Bidder does not consider that further examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance of the Work at the price(s) bid and within the times required and in accordance with the other terms and conditions of the Bidding Documents.

- G. Bidder is aware of the general nature of work (if any) to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
- H. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, and discrepancies that Bidder has discovered in the Bidding Documents, and the written resolution thereof by Engineer is acceptable to Bidder.
- I. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for the performance of the Work for which this Bid is submitted.

ARTICLE 4 – BIDDER’S CERTIFICATIONS

4.01 Bidder certifies that:

- A. This Bid is genuine and is not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation.
- B. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid.
- C. Bidder has not solicited or induced any individual or entity to refrain from bidding.
- D. Bidder has not engaged in corrupt, fraudulent, collusive or coercive practices in competing for the Contract. For the purposes of the Paragraph 4.01.D:
 - 1. “Corrupt practice” means the offering, giving, or soliciting of anything of value likely to influence the action of a public official in the bidding process.
 - 2. “Fraudulent practice” means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition.
 - 3. “Collusive practice” means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels.

4. “Coercive practice” means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

ARTICLE 5 – BASIS OF BID

5.01 Bidder will complete the Work in accordance with the Contract Documents for the lump sum price(s) listed by Bidder on the Basis of Bid Table provided below.

All specified cash allowances are included in the price(s) set forth below and have been computed in accordance with Paragraph 11.02 of the General Conditions.

It is understood that the foregoing quantities are approximate only and are solely for the purpose of facilitating the comparison of Bids. **Please note that this is a lump sum Bid**, and the Basis of Bid Table may not reflect all items and quantities shown in the Construction Plans. The Bidder is responsible for verifying all quantities.

Item No.	Item Description	Quantity	Units	Unit Cost	Total Cost
1	General				
2	Mobilization (maximum of 3% of Bid)	1	LS		
3	Bonds and Insurance (maximum of 2% of Bid)	1	LS		
4	Maintenance of Traffic per FDOT 600 standards	1	LS		
5	NPDES Administration / Permitting	1	LS		
6	Project Layout	1	LS		
7	As-built Record Drawings - redlined set and digital file certified by licensed land surveyor	1	LS		
Item No.	Water Utilities	Quantity	Units	Unit Cost	Total Cost
8	12-inch PVC DR-18 C-900 PVC Watermain (including MJ bends and fittings as required installed with a minimum 36-inch depth of cover)	11,413	LF		
9	12-inch DR-18 C-900 Fusible PVC Watermain Directional Bores (includes 11 1/4 degree transition fittings and megalugs)	1,881	LF		
10	8-inch DR-18 C-900 Fusible PVC Watermain Directional Bore across SR79 (includes 11 1/4 degree transition fittings and megalugs)	845	LF		
11	Pressure Class 350 water main ductile iron pipe with restrained joints installed at utility conflicts as required to maintain FDEP separation requirements	1	LS		

12	Fire Hydrant Assembly (including tee, valve and hydrant at 1000-ft OC)	10	EA		
13	12-inch gate valve, valve box, H-20 Cover, and concrete pad	8	EA		
14	8-inch gate valve, valve box, H-20 Cover, and concrete pad (at 79 jumpers)	3	EA		
15	Tie in existing water main at Thomas Dr. to proposed (12"x12" tapping sleeve and valve)	1	EA		
16	12"x12"x8" MJ tee	3	EA		
17	12" 22.5-degree MJ DI Bend	6	EA		
18	12" 45-degree MJ DI Bend	26	EA		
19	Install MJ plug	10	EA		
20	2-inch HDPE water service (including piping and fittings, tapping saddle, valve, and plug.	1	EA		
21	Watermain Pressure testing and disinfection	14,139	LF		
Item No.	Sewer Utilities along SR 79 Corridor	Quantity	Units	Unit Cost	Total Cost
22	48" dia. Gravity sewer manholes	13	EA		
23	8-inch SDR-35 gravity sewer	1,302	LF		
24	6-inch gravity sewer lateral / stub out with cap	2	EA		
25	Forcemain tie into gravity sewer manholes per details	5	EA		
26	6-inch Class 200 SDR 21 PVC Forcemain along SR79 Corridor to Thomas Dr. manhole (including MJ bends and fittings as required installed with a minimum 36-inch depth of cover)	6,835	LF		
27	6-inch DR-18 C-900 Fusible PVC Forcemain Directional Bore along SR79 (includes 11 1/4 degree transition fittings and megalugs)	1,384	LF		
28	6-inch DR-18 C-900 Fusible PVC Forcemain Directional Bore jumpers across SR79 (includes 11 1/4 degree transition fittings and megalugs)	851	LF		
29	6" 45-degree MJ DI Bend	29	EA		
30	6" ductile iron pipe (restrained joint, epoxy coated interior, for below ground, 350psi rated)	84	LF		
31	3-inch Class 200 SDR-21 PVC Forcemain along SR79 Corridor to Thomas Dr. manhole (including DI MJ bends and fittings as required installed with a minimum 36-inch depth of cover)	6,835	LF		
32	3"x 3"x 3" MJ tee	3	EA		

33	3" 45-degree MJ DI Bend	29	EA		
34	3" ductile iron pipe (restrained joint, epoxy coated interior, for below ground, 350psi rated)	84	LF		
35	4-inch PE-4710 DR-11 HDPE Forcemain Directional Bore along SR79 (includes 11 1/4 degree transition fittings and megalugs)	1,384	LF		
36	4-inch PE-4710 DR-11 HDPE Forcemain Directional Bore jumpers across SR79 (includes 11 1/4 degree transition fittings and megalugs)	794	LF		
37	2" Cleanout / testing terminals at sewer directional bores	14	EA		
38	2" air release valve with above ground insulated and vented enclosure	4	EA		
39	3-inch gate valve, valve box, H-20 Cover, and concrete pad	8	EA		
40	6-inch gate valve, valve box, H-20 Cover, and concrete pad	8	EA		
41	6"x 6"x 6" MJ tee	2	EA		
42	Epoxy coating for gravity sewer manhole at forcemain discharge points	2	EA		
43	2-inch PE-4710 DR-11 HDPE sewer lateral (including piping and fittings, tapping saddle, valve and plug)	1	EA		
44	Sewer forcemain pressure testing	1	LS		
45	Gravity sewer manhole leakage testing	13	EA		
46	Gravity sewer pipe pressure testing and CCTV	1,302	LF		
Item No.	South Lift Station LS-1	Quantity	Units	Unit Cost	Total Cost
47	Concrete wetwell including HDPE liner	1	LS		
48	Pumps, motors, and associated hardware	1	LS		
49	Piping				
50	Electrical	1	LS		
51	Dewatering	1	LS		
52	Leakage testing	1	LS		
53	Sitework (all work within the prescribed lift station area not described above)	1	LS		
54	Asphalt drive and culvert	1	LS		
55	Lift station startup and closeout documentation	1	LS		
Item No.	North Lift Station LS-2	Quantity	Units	Unit Cost	Total Cost
56	Concrete wetwell including HDPE liner	1	LS		
57	Pumps, motors, and associated hardware	1	LS		
58	Piping				
59	Electrical	1	LS		

60	Dewatering	1	LS		
61	Bypass pump	1	LS		
62	Leakage testing	1	LS		
63	Sitework (all work within the prescribed lift station area not described above)	1	LS		
64	Asphalt drive and culvert	1	LS		
65	Lift station startup and closeout documentation	1	LS		
	Miscellaneous	Quantity	Units	Unit Cost	Total Cost
66	Dewatering (by all methods)	1	LS		
67	Silt Fencing / Erosion Control	1	LS		
68	Clearing and grubbing	1	LS		
69	Coordination of existing utilities with proposed water and sewer utilities	1	LS		
70	Seed and mulch (all disturbed areas not along edge of pavement)	1	LS		
71	Sodding (minimum 2.5-ft along edge of pavement at all disturbed areas)	1	LS		

Total Lump Sum Base Bid: \$ _____

Alternate 1 - 10-inch dry forcemain from North LS to I-10

A1	10-inch DR-18 PVC Forcemain along SR79 Corridor from North LS to I-10 (including MJ bends and fittings as required installed with a minimum 36-inch depth of cover)	3,320	LF		
A2	10-inch DR-18 C-900 Fusible PVC Forcemain Directional Bore (includes 11 1/4 degree transition fittings and megalugs)	435	LF		
A3	10-inch gate valve, valve box, H-20 Cover, and concrete pad	1	EA		
A4	10" ductile iron pipe (restrained joint, epoxy coated interior, for below ground, 350psi rated)	84	LF		
A5	2" Cleanout / testing terminals at sewer directional bores	2	EA		
A6	10"x 10"x 10" MJ tee	1	EA		
A7	10" mj cap	2	EA		
A8	10" 45-degree MJ DI Bend	18	EA		

Total Lump Sum Alternate 1 Bid: \$ _____

ARTICLE 6 – TIME OF COMPLETION

- 6.01 Bidder agrees that the Work will be Substantially Complete within 270 calendar days after the date when the Contract Times commence to run as provided in Paragraph 2.03 of the General Conditions, and will be completed and ready for final payment in accordance with paragraph 14.07.B of the General Conditions within 300 calendar days after the date when the Contract Times commence to run, which days will be entered by Owner into the Agreement as the Contract Times.
- 6.02 Bidder accepts the provisions of the Agreement as to liquidated and special damages in the event of failure to complete the Work within the Contract Times.

ARTICLE 7 – ATTACHMENTS TO THIS BID

- 7.01 The following documents are attached to and made a condition of this Bid:
 - A. Required Bid Security in a form acceptable to the Owner which may be a Certified Check, Cashier’s Check made payable to Owner, or Bid Bond (Section 00410).
 - B. Required Bidder Qualifications Statement with supporting information (Section 00450).
 - C. A tabulation of Subcontractors, Suppliers, and other individuals and entities required to be identified in this Bid (Section 00413).
 - D. The required forms and certifications listed in Appendix B

ARTICLE 8 – DEFINED TERMS

- 8.01 The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders and the General Conditions and Supplementary Conditions.

ARTICLE 9 – BID SUBMITTAL

9.01 This Bid is submitted on _____, 20__ by:

If Bidder is:

An Individual

Name (Typed or Printed): _____

By _____
(Individual’s Signature)

Doing business as _____

License or Registration Number: _____

Business Address: _____

Phone No.: _____ Fax No: _____

E-mail Address: _____

A Partnership

Partnership Name: _____

By: _____
(Signature of General Partner - Attach evidence of authority to sign)

(Name (Typed or Printed): _____

License or Registration Number: _____

Business Address: _____

Phone No.: _____ Fax No: _____

E-mail Address: _____

A Corporation

Corporation Name: _____

(State of Incorporation)

By _____
(Signature - Attach evidence of authority to sign)

Name and Title (Typed or Printed): _____

(CORPORATE
SEAL)

Attest: _____
(Secretary)

License or Registration Number: _____

Business Address: _____

Phone No.: _____ Fax No: _____

E-mail Address: _____

Limited Liability Company

By: _____

(Firm Name)

(State of Formation)

By: _____

(Signature of Member/Authorized to Sign)

(Printed or Typed Name and Title of Member Authorized to Sign)

(Attach evidence of authority to sign.)

License or Registration Number: _____

Business Address: _____

Phone No.: _____ Fax No: _____

E-mail Address: _____

A Joint Venture

Name of Joint Venture: _____

First Joint Venturer Name: _____

By: _____

(Signature of First Joint Venturer - Attach evidence of authority to sign)

Name (Typed or Printed): _____

(Title)

Title: _____

Second Joint Venturer Name: _____

By: _____
(Signature of Second Joint Venturer - Attach evidence of authority to sign)

Name (Typed or Printed): _____
(Title)

(Each joint venturer must sign. The manner of signing for each individual, partnership, corporation or limited liability company that is a party to the joint venture shall be in the manner indicated above).

Business Address: _____

Phone and fax numbers and address for receipt of communications to joint venture:

Joint Venture Address: _____

Phone No.: _____ Fax No: _____

E-mail Address: _____

++ END OF BID FORM ++